LOUDSPEAKERS - SUB BASS

d&b audiotechnik VSUB



The V-SUB is an actively driven high performance cardioid subwoofer powered by a single amplifier channel. It houses two long excursion neodymium drivers, an 18 inch driver in a bass-reflex design facing to the front and a 12‰ driver in a two chamber bandpass design radiating to the rear. The cardioid dispersion pattern resulting from this approach avoids unwanted energy behind the system that reduces the reverberant field at low frequencies and provides the greatest accuracy of low frequency reproduction. The V subwoofer can be used to supplement V8 and V12 loudspeakers in various combinations, ground stacked or flown, either integrated on top of a V8 / V12 array or as a separate column. The V-SUB cabinet is constructed from marine plywood and has an impact and weather protected PCP (Polyurea Cabinet Protection) finish. The front of the loudspeaker cabinet is protected by a rigid metal grill backed by an acoustically transparent foam. Each side panel incorporates two handles whilst the top panel has an M20 high stand flange inserted.

Amplifiers

The V-SUB can only be driven by the d&b D12 dual channel amplifier configured for the V-SUB. More detailed information on specific loudspeaker setups with the D12 amplifier is available either in the relevant loudspeaker or D12 manual.



Cardioid polar pattern



Fa 54 V-SUB cabinet dimensions in mm (inch)

Features:

• 37 Hz

• 95 Hz Max SPL 133 dB 2 per channel of D12 Applications:

• Theatre Theme Parks Houses of Worship Concerts Festivals



Orbital Sound Ltd, 57 Acre Lane, Brixton, London, SW2 5TN, United Kingdom, Tel: +44 207 501 6868 <u>hire@orbitalsound.com</u> www.orbitalsound.com